



POLYVINYL CHLORIDE

PVC S 58-02 / S 60-12 / S 67-04 / S 70-16

Producer: Shin - Etsu PVC B.V / The Netherlands

S 58-02, S 60-12, S 67-04 and S 70-16 are manufactured by a suspension polymerization process.

GRADE NAME	K - VALUE ISO 1628-2	VISCOSITY INDEX ISO 174	BULK DENSITY (g/ml) ISO 60	MAIN APPLICATIONS
S 58 - 02	58	83	0.570	Fittings, rigid foam
S 60 - 12	60	88	0.560	Thin-walled profiles, rigid sheets and films, rigid foam
S 67 - 04	67	112	0.570	Pipes, windows profiles
S 70 - 16	70.5	125	0.470	Flexible films, profiles moulding, cables